

## Overschuifflens EN1092-1 TYPE 02 PN 6

	Maatvoering	D	C1	B2	E	L	K	Gaten	Kg
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 10 / 17.2 mm	75	12	21	3	11	50	4	0,3
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 15 / 21.3 mm	80	12	25	3	11	55	4	0,4
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 20 / 26.9 mm	90	14	31	4	11	65	4	0,6
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 25 / 33.7 mm	100	14	38	4	11	75	4	0,7
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 32 / 42.4 mm	120	16	46	5	14	90	4	1,1
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 40 / 48.3 mm	130	16	53	5	14	100	4	1,3
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 50 / 60.3 mm	140	16	65	5	14	110	4	1,4
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 65 / 76.1 mm	160	16	81	6	14	130	4	1,8
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 80 / 88.9 mm	190	18	94	6	18	150	4	2,8
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 100 / 114.3 mm	210	18	120	6	18	170	4	3,1
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 125 / 139.7 mm	240	20	145	6	18	200	8	4,1
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 150 / 168.3 mm	265	20	174	6	18	225	8	4,5
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 200 / 219.1 mm	320	22	226	6	18	280	8	6,5
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 250 / 273.0 mm	375	24	281	8	18	335	12	8,3
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 300 / 323.9 mm	440	24	333	8	22	395	12	11,1
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 350 / 355.6 mm	490	26	365	8	22	445	12	15,9
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 400 / 406.4 mm	540	28	416	8	22	495	16	18,8
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 450 / 457.2 mm	595	30	467	8	22	550	16	23,3
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 500 / 508.0 mm	645	30	519	8	22	600	20	24,9
Overschuifflens EN1092-1 TYPE 02 PN 6	DN 600 / 609.6 mm	755	32	622	8	26	705	20	33,0



Kijk voor het complete  
overzicht op onze website:


**hellebeuk.nl**

### Hoofdkantoor en magazijn:

Hekerweg 27, 6301 RJ Valkenburg a/d Geul  
Tel: +31 (0)45 - 405 16 51

### Kantoor:

Morsestraat 11-J, 4004 JP Tiel  
Tel: +31 (0)344 - 729 729



## Overschuifflens EN1092-1 TYPE 02 PN10

	Maatvoering	D	C1	B2	E	L	K	Gaten	Kg
Overschuifflens EN1092-1 TYPE 02 PN10	DN 200 / 204.0 mm	340	24	210	6	22	295	8	9,7
Overschuifflens EN1092-1 TYPE 02 PN10	DN 200 / 206.0 mm	340	24	212	6	22	295	8	9,5
Overschuifflens EN1092-1 TYPE 02 PN10	DN 200 / 219.1 mm	340	24	226	6	22	295	8	8,9
Overschuifflens EN1092-1 TYPE 02 PN10	DN 250 / 254.0 mm	395	26	260	8	22	350	12	13,8
Overschuifflens EN1092-1 TYPE 02 PN10	DN 250 / 256.0 mm	395	26	262	8	22	350	12	13,0
Overschuifflens EN1092-1 TYPE 02 PN10	DN 250 / 273.0 mm	395	26	281	8	22	350	12	11,2
Overschuifflens EN1092-1 TYPE 02 PN10	DN 300 / 304.0 mm	445	26	310	8	22	400	12	15,8
Overschuifflens EN1092-1 TYPE 02 PN10	DN 300 / 306.0 mm	445	26	312	8	22	400	12	15,0
Overschuifflens EN1092-1 TYPE 02 PN10	DN 300 / 323.9 mm	445	26	333	8	22	400	12	12,8
Overschuifflens EN1092-1 TYPE 02 PN10	DN 350 / 355.6 mm	505	30	365	8	22	460	16	19,4
Overschuifflens EN1092-1 TYPE 02 PN10	DN 400 / 406.4 mm	565	32	416	8	26	515	16	26,4
Overschuifflens EN1092-1 TYPE 02 PN10	DN 450 / 457.2 mm	615	36	467	8	26	565	20	32,2
Overschuifflens EN1092-1 TYPE 02 PN10	DN 500 / 508.0 mm	670	38	519	8	26	620	20	38,5
Overschuifflens EN1092-1 TYPE 02 PN10	DN 600 / 609.6 mm	780	42	622	8	30	725	20	52,2
Overschuifflens EN1092-1 TYPE 02 PN10	DN 700 / 711.0 mm	895	50	721	8	30	840	24	79,4
Overschuifflens EN1092-1 TYPE 02 PN10	DN 800 / 813.0 mm	1015	56	824	8	33	950	24	112,0
Overschuifflens EN1092-1 TYPE 02 PN10	DN 900 / 914.0 mm	1115	62	926	8	33	1050	28	135,0
Overschuifflens EN1092-1 TYPE 02 PN10	DN 1000 / 1016.0 mm	1230	70	1028	8	36	1160	28	180,0



Kijk voor het complete  
overzicht op onze website:


**hellebeuk.nl**

### Hoofdkantoor en magazijn:

Hekerweg 27, 6301 RJ Valkenburg a/d Geul  
Tel: +31 (0)45 - 405 16 51


### Kantoor:

Morsestraat 11-J, 4004 JP Tiel  
Tel: +31 (0)344 - 729 729



## Overschuifflens EN 1092-1 TYPE 02 PN16

	Maatvoering	D	C1	B2	E	L	K	Gaten	Kg
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 50 / 50.8 mm	165	19	56	5	18	125	4	2,8
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 50 / 54.0 mm	165	19	59	5	18	125	4	2,7
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 50 / 57.0 mm	165	19	62	5	18	125	4	2,6
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 50 / 60.3 mm	165	19	65	5	18	125	4	2,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 65 / 63.5 mm	185	19	68,5	5	18	145	4	3,4
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 65 / 70.0 mm	185	20	75	6	18	145	4	3,2
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 65 / 76.1 mm	185	20	81	6	18	145	4	3,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 65 / 76.1 mm	185	20	81	6	18	145	8	3,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 80 / 84.0 mm	200	20	89	6	18	160	8	3,6
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 80 / 88.9 mm	200	20	94	6	18	160	8	3,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 100 / 101.6 mm	220	22	107	6	18	180	8	5,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 100 / 104.0 mm	220	22	109	6	18	180	8	4,9
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 100 / 106.0 mm	220	22	111	6	18	180	8	4,8
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 100 / 108.0 mm	220	22	113	6	18	180	8	4,7
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 100 / 114.3 mm	220	22	116	6	18	180	8	4,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 125 / 129.0 mm	250	22	134	6	18	210	8	6,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 125 / 133.0 mm	250	22	138	6	18	210	8	5,8
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 125 / 139.7 mm	250	22	145	6	18	210	8	5,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 150 / 154.0 mm	285	24	159	6	22	240	8	8,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 150 / 156.0 mm	285	24	161	6	22	240	8	7,7
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 150 / 159.0 mm	285	24	164	6	22	240	8	7,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 150 / 168.3 mm	285	24	174	6	22	240	8	7,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 200 / 204.0 mm	340	26	210	6	22	295	8	10,2
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 200 / 219.1 mm	340	26	226	6	22	295	12	9,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 250 / 273.0 mm	405	29	281	8	26	355	12	13,5
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 300 / 323.9 mm	460	32	333	8	26	410	12	18,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 350 / 355.6 mm	520	35	365	8	26	470	16	27,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 400 / 406.4 mm	580	38	416	8	30	525	16	34,6
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 450 / 457.2 mm	640	42	467	8	30	585	20	44,6
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 500 / 508.0 mm	715	46	519	8	33	650	20	62,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 600 / 609.6 mm	840	55	622	8	36	770	20	98,8
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 700 / 711.0 mm	910	63	721	8	36	840	24	107,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 800 / 813.0 mm	1025	74	824	8	39	950	24	152,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 900 / 914.0 mm	1125	82	926	8	39	1050	28	184,0
Overschuifflens EN 1092-1 TYPE 02 PN16	DN 1000 / 1016.0 mm	1255	90	1030	8	42	1170	28	257,0



## Overschuifflens EN1092-1 TYPE 02 PN40

	Maatvoering	D	C1	B2	E	L	K	Gaten	Kg
Overschuifflens EN1092-1 TYPE 02 PN40	DN 10 / 17.2 mm	90	14	21	3	14	60	4	0,6
Overschuifflens EN1092-1 TYPE 02 PN40	DN 15 / 20.0 mm	95	14	22	3	14	65	4	0,5
Overschuifflens EN1092-1 TYPE 02 PN40	DN 15 / 21.3 mm	95	14	25	3	14	65	4	0,7
Overschuifflens EN1092-1 TYPE 02 PN40	DN 20 / 25.0 mm	105	16	28	4	14	75	4	1,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 20 / 26.9 mm	105	16	31	4	14	75	4	1,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 25 / 30.0 mm	115	16	33	4	14	85	4	1,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 25 / 33.7 mm	115	16	38	4	14	85	4	1,1
Overschuifflens EN1092-1 TYPE 02 PN40	DN 32 / 38.0 mm	140	18	42	5	18	100	4	2,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 32 / 42.4 mm	140	18	47	5	18	100	4	1,8
Overschuifflens EN1092-1 TYPE 02 PN40	DN 40 / 44.5 mm	150	18	50	5	18	110	4	2,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 40 / 48.3 mm	150	18	53	5	18	110	4	2,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 50 / 60.3 mm	165	20	65	5	18	125	4	2,7
Overschuifflens EN1092-1 TYPE 02 PN40	DN 65 / 76.1 mm	185	22	81	6	18	145	8	3,4
Overschuifflens EN1092-1 TYPE 02 PN40	DN 80 / 88.9 mm	200	24	94	6	18	160	8	4,2
Overschuifflens EN1092-1 TYPE 02 PN40	DN 100 / 114.3 mm	235	26	120	6	22	190	8	5,9
Overschuifflens EN1092-1 TYPE 02 PN40	DN 125 / 139.7 mm	270	28	145	6	26	220	8	8,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 150 / 168.3 mm	300	30	174	6	26	250	8	10,0
Overschuifflens EN1092-1 TYPE 02 PN40	DN 200 / 219.1 mm	375	36	226	6	30	320	12	17,4
Overschuifflens EN1092-1 TYPE 02 PN40	DN 250 / 273.0 mm	450	42	281	8	33	385	12	28,4
Overschuifflens EN1092-1 TYPE 02 PN40	DN 300 / 323.9 mm	515	52	333	8	36	450	16	43,6
Overschuifflens EN1092-1 TYPE 02 PN40	DN 350 / 355.6 mm	580	58	365	8	39	510	16	64,9
Overschuifflens EN1092-1 TYPE 02 PN40	DN 400 / 406.4 mm	660	65	416	8	39	585	16	95,1



Kijk voor het complete  
overzicht op onze website:

**hellebeuk.nl**

### Hoofdkantoor en magazijn:

Hekerweg 27, 6301 RJ Valkenburg a/d Geul  
Tel: +31 (0)45 - 405 16 51

### Kantoor:

Morsestraat 11-J, 4004 JP Tiel  
Tel: +31 (0)344 - 729 729